


cupPCB — CI/CD

Release process

Tag main with a semver version (no v prefix). The pipeline does the rest.

```
git tag 4.2.2
git push origin 4.2.2
```



release pipeline

Steps

1. **tag** — push a tag matching X.Y.Z (digits only, no prefix)
2. **ci triggers** — GitLab runner proxy.uncloseai.com picks up the job
3. **version.json** — CI writes {"version": "X.Y.Z"} before deploy
4. **deploy** — sudo /usr/local/bin/deploy-www.sh cuppcb . runs on the proxy node
5. **live** — site is up at the new version

Runner notes

- Runner: proxy.uncloseai.com (ID 28), ref_protected, shell executor
- All tags are protected (* wildcard) — required for the ref_protected runner to pick up jobs
- Runner re-registration resets tags in GitLab; re-add proxy.uncloseai.com tag via API or UI if deploy stalls

Troubleshooting a stuck deploy

Job stuck in Pending → check in order:

1. Runner online? `systemctl status gitlab-runner on proxy.uncloseai.com`
2. Runner has tag? `GET /api/v4/runners/28` — tag_list must include proxy.uncloseai.com
3. Tag protected? `GET /api/v4/projects/.../protected_tags` — wildcard * must exist
4. Concurrency headroom? `concurrent = 4` in `/etc/gitlab-runner/config.toml`